

1 **16.4.26 Mixed-Use - Neighborhood MU-N**

2 A. Purpose

3 To encourage higher density, mixed-use development that provides increased housing  
4 opportunities and a desirable setting for business while balancing such increased development  
5 with environmentally conscious and ecologically sensitive use of land.

6

7 B. Permitted Uses

8 (1) Dwelling, Attached Single-Family

9 (2) Dwelling, Multi-Family

10 (3) Dwelling, ~~Multi-Family~~ (units located on the upper floors of a mixed-use building that is  
11 served by public sewer)

12 (4) Convalescent Care Facility

13 (5) Nursing Care Facility, Long-term

14 (6) Residential Care Facility (attached dwelling units only)

15 (7) Accessory Buildings, Structures, and Uses

16 (8) Home Occupation, Major

17 (9) Home Occupation, Minor

18 (10) Hotel

19 (11) Inn

20 (12) Day Care Facility

21 (13) Elderly Day Care Facility

22 (14) Hospital

23 (15) Public Utility Facility

24 (16) Recreation, Passive

25 (17) Recreation, Public Open Space

26 (18) Recreation, Commercial Indoor (except shooting and archery ranges)

27 (19) Recreation, Commercial Outdoor (except shooting and archery ranges)

28 (20) Veterinary Hospital

29 (21) Art Studio or Gallery

30 (22) Business & Professional Offices

31 (23) Business Services

32 (24) Conference Center

33 (25) Personal Services

34 (26) Repair Service

35 (27) Research & Development

36 (28) Restaurant

37 (29) Retail Sales (not to exceed 30,000 square feet in gross floor area unless part of a mixed-  
38 use building)

16.4 Land Use Zones – amendments to the MU-N Zone related to housing - DRAFT

- 39 (30) Retail Sales, Convenience (excluding the sale of gasoline)
- 40 (31) Shops in Pursuit of Trade
- 41 (32) Specialty Food and/or Beverage Facility
- 42 (33) Theater
- 43 (34) Industry, light (less than or equal to 20,000 square feet in gross floor area)
- 44 (35) Liner Buildings (as part of a mixed-use building)

45

46 C. Special exception uses

- 47 (1) Cottage cluster
- 48 (2) Commercial Kennel
- 49 (3) Parking Area
- 50 (4) Construction Services
- 51 (5) Equipment sales and rentals (only on lots with frontage on Route 236)
- 52 (6) Gas service station (only on lots with frontage on Route 236)
- 53 (7) Industry, light (greater than 20,000 square feet in gross floor area)
- 54 (8) Mass Transit Station
- 55 (9) Mechanical Services
- 56 (10) New Motor Vehicle Sales (only on lots with frontage on Route 236)
- 57 (11) Used Car Lot (only on lots with frontage on Route 236)
- 58 (12) Repair Garage (only on lots with frontage on Route 236)
- 59 (13) Retail Sales (greater than 30,000 square feet in gross floor area and less than 50,000
- 60 square feet in gross floor area)
- 61 (14) Undefined use; additional commercial/business uses not defined by § 16.3.
  - 62 (a) Undefined uses: will be considered by the Planning Board based on the following
  - 63 criteria:
  - 64 [1]. If the use is consistent with the Comprehensive Plan and zoning district purposes;
  - 65 and
  - 66 [2]. If the use meets special exception criteria found in § 16.3.2.1.C(14)
  - 67 (b) In addition, the undefined use must meet one or both of the following criteria:
  - 68 [1] If the proposed use has substantially similar impacts as a listed use.
  - 69 [2] If the proposed use is compatible with existing uses within the zoning district for
  - 70 which it is proposed.

71

72 D. Standards.

73 All development and the use of land in the MU-N Zone must meet the following standards.  
74 Kittery's Design Handbook illustrates how these standards can be met. In addition, the design  
75 and performance standards of § 16.5, 16.7 and 16.8 must be met unless noted otherwise below.

- 76 (1) All submissions must include a lighting plan. Hours of operation and number of
- 77 employees for businesses must also be provided.

16.4 Land Use Zones – amendments to the MU-N Zone related to housing - DRAFT

78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118

(2) The following space standards apply:

(a) Minimum land area per dwelling unit - mixed-use building: 4,000 square feet for first residential unit plus 3,000 square feet for each additional unit, no minimum land area for business or commercial uses when combined in a building with residential uses except that the total lot size must be at least 20,000 square feet.

[1] NOTE: ADA-compliant units may be located on the first floor through a special exception permit by the Planning Board but only 50% of the first floor may be such ADA-compliant residential units.

(b). Minimum land area per dwelling unit - multiunit residential: 4,000 square feet for first unit, plus 2,500 square feet for each additional unit up to 16 units per acre of lot size. Total lot size must be a minimum of 20,000 square feet.

(c). Mixed-use or multiunit residential buildings which encompass at least 50% of required parking within the building: Two additional residential units may be added to each story above the parking with no additional land area required.

(d). Mixed-use buildings which encompass at least 50% of required parking within the building and include a liner building for nonresidential uses buffering parking from the street: One additional residential unit may be added to each story with no additional land area required.

(e). Minimum land area per bed for long-term nursing care and convalescent care facilities that are connected to public sewer: 2,000 square feet.

(f). Minimum land area per residential unit for residential care facilities that are connected to public sewer: 3,000 square feet.

(g). Minimum lot size: 20,000 square feet.

(h). Minimum street frontage: 75 feet.

(i). Minimum front setback on Route 236: 30 feet.

(j). Minimum front setback on Dennett Road: 50 feet.

(k). Minimum front setback on Martin Road: 100 feet.

(l). Maximum front setback all other roads: 20 feet.

16.4 Land Use Zones – amendments to the MU-N Zone related to housing - DRAFT

119 (m). Spacing between buildings: 15 feet.\*

120

121 (n). Maximum rear and side setbacks: 20 feet.\*\*

122 NOTES:

\* Or as required by the Fire Department or State Fire Marshal's office.

\*\* Except as may be required by the buffer provisions of Code. See Landscaping, Screening and Buffers § 16.4.26.(8)

123 (o). Maximum building height: 50 feet (exclusive of solar apparatus).

124

125 (p). Maximum impervious and outdoor stored material coverage: 70%.

126 NOTE: With Best Management Practices (BMPs) and Low Impact Development  
127 Practices (LIDs) as defined in § 16.3 and based on Maine DEP's Maine  
128 Stormwater Best Management Practices Manual, Volumes I - III, as amended  
129 from time to time, incorporated in site design, otherwise 60%. Maximum on-site  
130 stormwater infiltration is the desired and measurable outcome.

131

132 (q). Minimum setback from streams, water bodies and wetlands in accordance with Table  
133 16.5.30.

134 [1] With Best Management Practices (BMPs) and Low Impact Development  
135 Practices (LIDs) as defined in § 16.3 and based on Maine DEP's Maine  
136 Stormwater Best Management Practices Manual, Volumes I - III, as amended  
137 from time to time, incorporated in site design, then wetland setbacks pursuant  
138 only to Maine Department of Environmental Protection (MDEP) Rules Chapters  
139 305 and 310.

140 [2] Without Best Management Practices (BMPs) and Low Impact Development  
141 Practices (LIDs) as defined in § 16.3 and based on Maine DEP's Maine  
142 Stormwater Best Management Practices Manual, Volumes I - III, as amended  
143 from time to time, incorporated in site design, wetland setbacks pursuant to  
144 Kittery Town Code Title 16, Table 16.5.30.

145 [3] The Town shall retain expert consultation (qualified wetland scientist and/or  
146 Maine-certified soil scientist) to determine wetland delineations and  
147 classifications and to perform soil testing as needed, all of which shall be paid for  
148 by the applicant at the time of sketch plan. The qualified wetlands scientist and/or  
149 Maine-certified soil scientist shall determine through field investigation the  
150 presence, location and configuration of wetlands on the area proposed for use.  
151 Any wetland alterations proposed must also be reviewed by the Town's  
152 consultant(s) at the applicant's expense. These requirements are in addition to  
153 engineering, stormwater management/BMPs, traffic or other types of peer review  
154 that may also be required.

155

156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197

(r). Minimum open space:

- [1] Lot size less than 100,000 square feet: 15%.
- [2] Lot size greater than 100,000 square feet: 25%.

NOTE: This requirement may be met by a payment-in-lieu to the Wetland Mitigation Fund **unless the development proposed is a cottage cluster as defined by Title 16**. These fees shall be set by Town Council. Landscaping, screening and buffer requirements must still be met.

(3) Parking:

- (a) Parking is encouraged within buildings. New or revised surface parking areas, garages, and entrances to parking within buildings must be located to the rear of buildings. If a rear location is not achievable, as determined by the Planning Board, parking, garages and entrances to parking must be located to the side of the building. Screening and/or fencing is required for surface parking areas along a street. See Subsection (8), Landscaping, Screening and Buffers. Parking requirements are based on the Institute of Transportation Engineers (ITE) parking generation rates.
- (b). Joint-use agreements (between businesses and residences) for parking are encouraged. A plan describing how joint-use parking needs will be met is required as part of any development that proposes such parking and must be reviewed and approved by the Planning Board.
- (c). Parking requirements for nonresidential uses may be met partially or in full by parking on the street except that no parking is allowed on Route 236, Dennett Road, or Martin Road. Such on-street parking plans must be reviewed by planning staff prior to submission and then reviewed and approved by the Planning Board.
- (d). Electric car charging stations are **encouraged and** allowed in parking lots but must not interfere with pedestrian movement on sidewalks.
  - [1] Parking for development that includes trails and low intensity recreation: Development that includes the creation of public trails and low intensity recreational opportunities such as wildlife observation stations or boardwalks may apply the pertinent off-street parking standards below. All other off-street parking standards as found in § 16.7.11F(3) shall apply.
- (e) Multi-family residential buildings and mixed-use buildings that include residential.
  - [1] One parking space for studio and one-bedroom dwelling units.
  - [2] One and one-half parking spaces for two-bedroom dwelling units plus one guest parking space per every four dwelling units.
  - [3] Two parking spaces for more-than-two-bedroom dwelling units.

(4) Loading docks, overhead doors, service areas and outdoor storage areas.

- (a) Loading docks and overhead doors must be located on the rear or side of the building. Loading docks must be screened from view by adjacent residential uses. This

## 16.4 Land Use Zones – amendments to the MU-N Zone related to housing - DRAFT

198 screening must consist of the following:

199 [1] A fence, constructed of a material similar to surrounding buildings, of sufficient  
200 height as determined by the Planning Board to accomplish the screening. No  
201 fence may be less than six feet tall.

202

203 (b). All service areas for dumpsters, compressors, generators and similar items as well as  
204 any outdoor storage areas must be screened by a fence at least six feet tall,  
205 constructed of a material similar to surrounding buildings, and must surround the  
206 service or storage area except for the necessary ingress/egress.

207

208 (5) Site design

209 Site design and building placement must be attentive to the surrounding environment  
210 including sun, wind and shade patterns related to proposed and existing buildings. A  
211 sun/shade analysis may be required by the Planning Board.

212

213 (6) Energy and sustainability

214 Energy efficiency is allowed and encouraged through the use of solar power, geothermal,  
215 and other alternative and sustainable power sources.

216

217 (7) Building design standards.

218 (a) New buildings must meet the general design principles set forth in the Design  
219 Handbook except as noted below. In general, buildings should be oriented to the  
220 street from which they derive frontage, with the front of the building facing the street.  
221 The front facade must contain the following:

222 [1] A front door for pedestrian access.

223 [2] Windows.

224

225 (b). Flat roofs, proposed to locate heating, cooling, or other such mechanical or electrical  
226 apparatus off the ground, are acceptable provided that such apparatus are screened  
227 from view and the screening is designed as an integral part of the building to aid both  
228 aesthetics and noise attenuation. Flat roofs proposed for the purpose of solar array  
229 installations are also acceptable.

230

231 (8) Landscaping, screening and buffers.

232 (a) A landscape plan prepared by a registered landscape architect is a submission  
233 requirement. However, a landscape plan done by other design professionals may be  
234 allowed at the Planning Board's discretion.

235

236 (b). Northeastern Nnative trees, shrubs and herbaceous plantings, selected for climate  
237 change tolerance, are preferred and must be drought and salt tolerant when used along  
238 streets. A diversity of tree species (three to five species per every 12 trees) is required  
239 to provide greater resiliency to threats from introduced insect pests and diseases.

240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282

(c). Any required plantings approved by the Planning Board that do not survive must be replaced within one year. This requirement does not expire and runs with the land.

(d) Landscaping along the street frontage of each building must consist of one of the following:

[1] Street trees. A minimum of one street tree must be planted for each 20 feet of street frontage. Trees may be planted in groups or spaced along the frontage. However, trees must be planted to ensure survival, using silva cells, bioretention cells or tree wells. Trees are to be a minimum of 2.5-inch caliper and 12 feet high at the time of planting. Existing large healthy trees must be preserved if practical and will count towards this requirement.

[2] Pocket Park. The park must be at least 200 square feet. A minimum of three trees and a bench for sitting are required. Park must be vegetated with ground cover except for walkways.

(e) Surface parking areas that abut a street must provide screening in one of the following ways:

[1] One tree per 25 feet of street frontage backed by a fence constructed of a material similar to surrounding buildings which must screen the parking area from the street except for necessary vehicular and pedestrian access. Trees must be at least 2.5-inch caliper and 12 feet high at the time of planting.

[2] A combination of trees and shrubs including at least 50% evergreen species, all at least six feet high at time of planting, in a planting bed at least eight feet wide. Plantings must be sufficient, as determined by the Planning Board, to screen the parking area from the street except for necessary vehicular and pedestrian access. Planting beds may be mulched but no orange- or red-dyed mulching material may be used.

[3] A minimum of 10% of any surface parking area consisting of 10 or more parking spaces must be landscaped with trees and vegetated islands. This requirement is in addition to the screening requirements in Subsection §16.4.26.D(8)(e)(i) and §16.4.26.D(8)(e)(ii) if the parking area abuts a street. Bioretention cells and rain gardens may be utilized to meet the landscaping requirements and perform stormwater management.

(f) Buffers required between residential uses and mixed use or nonresidential uses, and between adjacent residential zones and this zone must be 50 feet wide and consist of one of the following as determined by the Planning Board:

[1]. Existing natural woodland and vegetation.

[2]. Existing natural woodland augmented by the planting of additional trees consisting of a variety of species at least 2.5-inch caliper and 12 feet high.

[3]. A fence at least six feet high, constructed of material similar to surrounding buildings, with plantings of trees and shrubs at least six feet tall on either side of

16.4 Land Use Zones – amendments to the MU-N Zone related to housing - DRAFT

283 the fence.

284

285 (9) Open space

286 Open space must be provided as a percentage of the total parcel area including freshwater  
287 wetlands, water bodies, streams and setbacks. Required open space must be shown on the  
288 site plan with a note dedicating it as open space. The open space must be situated to  
289 protect significant natural features and resources, minimize environmental impacts and  
290 promote an aesthetically pleasing site.

291 (a) Wherever possible, large healthy trees and areas with mature tree cover must be  
292 included in the open space.

293 (b). Location of open space must promote the continuity of open-space networks across  
294 adjacent parcels.

295 (c). Where possible, open space and open-space networks must include public trails and  
296 low-intensity recreational opportunities.

297

298 (10) Special situations

299 Expansions or modifications of 1,000 square feet or less to existing uses are exempt  
300 from landscaping, screening and buffer requirements.

301

302 (11) Conditions for approving special exception uses in the Neighborhood Mixed-Use Zone.

303 All applications must include a narrative describing why the use proposed will promote  
304 the general welfare (specifics may be found in § 16.3 Definitions for special exception)  
305 of the Town of Kittery, how the use proposed will meet the special exception criteria  
306 found in § 16.2.12.F.(3) and how the proposed development will adapt and relate to the  
307 natural environmental conditions found on the site.

308

309 (12) Cottage cluster requirements:

310 (a) Cottage cluster dwelling units must either face the required common open space or  
311 the street. The required open space must be held in common for use by all the cottage  
312 cluster residents and must be immediately accessible to each dwelling unit, via either  
313 the front or the back of each unit.

314 (b) Each cottage cluster dwelling unit must be no greater than 1,200 square feet. Spacing  
315 between units must comply with the requirements of the Fire Department and/or the  
316 State Fire Marshall's office.

317 (c) Shared parking areas must be connected to each dwelling unit via a sidewalk.

318 (d) A minimum of 10% of the property must be open space.

319

320 (13) Affordable housing requirements:

321 (a) All requirements in 16.5.4 Affordable Housing must be met.